



Formerly Class C Solutions Group

## Safety Data Sheet

Document Nbr: 089326  
Class C Parts IDs KP82032

SAFETY DATA SHEET

### -----SECTION 1. IDENTIFICATION -----

PRODUCT IDENTIFIER:

PRODUCT NAME: SOFT SEAL

OTHER MEANS OF IDENTIFICATION:

PRODUCT CODE: KP82032

RECOMMENDED USE: PIPE THREAD SEALANT.

RECOMMENDED RESTRICTIONS: NONE KNOWN.

MANUFACTURER:

COMPANY NAME: FEDERAL PROCESS CORPORATION

ADDRESS:  
4520 RICHMOND ROAD  
CLEVELAND OH 44128

TELEPHONE: 1-800-846-7325

EMERGENCY TELEPHONE NUMBER:  
CALL CHEMTREC AT 1-800-424-9300

### -----SECTION 2. HAZARDS IDENTIFICATION -----

CLASSIFICATION:

PHYSICAL STATE: LIQUID

FLAMMABLE: CATEGORY 3

SERIOUS EYE DAMAGE/EYE IRRITATION: CATEGORY 2

SKIN SENSITIZATION: CATEGORY 1

SIGNAL WORD: WARNING

FLAME

EXCLAMATION MARK

HAZARD STATEMENTS:

H226: FLAMMABLE LIQUID AND VAPOR.

H302: HARMFUL IF SWALLOWED.

H319: CAUSES SERIOUS EYE IRRITATION.

H317: MAY CAUSE AN ALLERGIC SKIN REACTION

PRECAUTIONARY STATEMENTS:

PREVENTION:

P210: KEEP AWAY HEAT, SPARKS, OPEN FLAMES, AND HOT SURFACES. NO SMOKING.

P261: AVOID BREATHING DUST/FUME/GAS/MIST/VAPORS/SPRAY.

P272: CONTAMINATED CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE.

RESPONSE:

P305 + P351 + P338:

IF IN EYES:

RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.

P301 + P331 + P310:

IF SWALLOWED:

DO NOT INDUCE VOMITING. IMMEDIATELY CALL POISON CENTER OR DOCTOR/PHYSICIAN.

P337 + P313:

IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.

P332 + P313:

IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION.

DISPOSAL:

P501: DISPOSE OF CONTENTS/CONTAINER TO AN APPROVED WASTE DISPOSAL PLANT.

OTHER HAZARDS: TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.

UNKNOWN ACUTE TOXICITY:

2% OF THE MIXTURE CONSISTS OF INGREDIENT(S) OF UNKNOWN TOXICITY.

-----SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS -----

CHEMICAL NAME	CAS NUMBER	WEIGHT %
ISOPROPYL ALCOHOL	67-63-0	<8.0
2 BUTOXYETHANOL	111-76-2	<5.0

-----SECTION 4. FIRST AID MEASURES -----

FIRST AID MEASURES:

EYE CONTACT:

RINSE THOROUGHLY WITH PLENTY OF WATER, FOR 15 MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. GET MEDICAL ADVICE/ATTENTION.

SKIN CONTACT: IF SKIN IRRITATION OCCURS, RINSE AFFECTED AREA WITH WATER.

IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION.

INHALATION:

REMOVE TO FRESH AIR. IF SIGNS/SYMPTOMS CONTINUE, GET MEDICAL ATTENTION. GIVE OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED.

INGESTION:

DO NOT INDUCE VOMITING GET MEDICAL ATTENTION IMMEDIATELY. RINSE MOUTH WITH WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS INDIVIDUAL.

MOST IMPORTANT SYMPTOMS AND EFFECTS:

SYMPTOMS:

DIRECT CONTACT WITH EYES MAY CAUSE TEMPORARY IRRITATION.  
DO NOT INGEST.

-----SECTION 5. FIRE-FIGHTING MEASURES -----

SUITABLE EXTINGUISHING MEDIA:

USE FOAM, DRY CHEMICAL, CARBON DIOXIDE OR WATER FOG.

UNSUITABLE EXTINGUISHING MEDIA: NOT DETERMINED.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

CARBON OXIDES EXPECTED TO BE THE PRIMARY HAZARDOUS COMBUSTION PRODUCT.

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS:

AS IN ANY FIRE, WEAR SELF-CONTAINED BREATHING APPARATUS AND OTHER PROTECTIVE CLOTHING. (APPROVED OR EQUIVALENT) AND FULL PROTECTIVE GEAR.

-----SECTION 6. ACCIDENTAL RELEASE MEASURES -----

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

PERSONAL PRECAUTIONS:

USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. KEEP UNNECESSARY PERSONNEL AWAY.

METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP:

METHODS FOR CONTAINMENT:

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO.

METHODS FOR CLEAN-UP: KEEP IN SUITABLE, CLOSED CONTAINERS FOR DISPOSAL.

-----SECTION 7. HANDLING AND STORAGE -----

PRECAUTIONS FOR SAFE HANDLING:

ADVICE ON SAFE HANDLING:

AVOID BREATHING VAPORS OR MISTS. CONTAMINATED WORK-CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

STORAGE CONDITIONS:

KEEP CONTAINERS TIGHTLY CLOSED IN A DRY, COOL AND WELL-VENTILATED PLACE.  
DO NOT STORE NEAR HEAT, SPARKS, OR OPEN FLAMES.  
KEEP OUT OF REACH OF CHILDREN.

INCOMPATIBLE MATERIALS: NONE KNOWN BASED ON INFORMATION SUPPLIED.

-----SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION -----

EXPOSURE GUIDELINES:

CHEMICAL NAME	ACGIH TWA	ACGIH STEL	OSHA TWA
ISOPROPYL ALCOHOL (CAS 67-63-0)	200 PPM	400 PPM	400 PPM
2 BUTOXYETHANOL (CAS 111-76-2)	20 PPM	200 MG/G	X

APPROPRIATE ENGINEERING CONTROLS:

ENGINEERING CONTROLS:

APPLY TECHNICAL MEASURES TO COMPLY WITH THE OCCUPATIONAL EXPOSURE LIMITS.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT:

EYE/FACE PROTECTION: AVOID CONTACT WITH EYES.

SKIN AND BODY PROTECTION:

NO PROTECTIVE EQUIPMENT IS NEEDED UNDER NORMAL USE CONDITIONS.

RESPIRATORY PROTECTION:

ENSURE ADEQUATE VENTILATION, ESPECIALLY IN CONFINED AREAS. IF CONFINED IN POORLY VENTILATED AREAS USE NIOSH/MSHA

GENERAL HYGIENE CONSIDERATIONS:

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. WASH EXPOSED AREAS THOROUGHLY BEFORE EATING, DRINKING, SMOKING OR LEAVING WORK AREA. LAUNDER CONTAMINATED CLOTHING BEFORE REUSING.

-----SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES -----

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

PHYSICAL STATE: LIQUID.

ODOR: MILD ALCOHOLIC.

APPEARANCE: VISCOUS LIQUID.

ODOR THRESHOLD: NOT AVAILABLE.

COLOR: BLUE GREEN.

PROPERTY	VALUES
PH	N/A
MELTING POINT/FREEZING POINT	NOT DETERMINED.
BOILING POINT/BOILING RANGE	NOT DETERMINED.
FLASH POINT	98F (37C) CLOSED CUP.
EVAPORATION RATE	NOT DETERMINED.
FLAMMABILITY (SOLID, GAS)	N/A-LIQUID
UPPER FLAMMABILITY LIMIT	NOT DETERMINED.
LOWER FLAMMABILITY LIMIT	NOT DETERMINED.

VAPOR PRESSURE	NOT DETERMINED.
VAPOR DENSITY	NOT DETERMINED.
SPECIFIC GRAVITY	1.44
WATER SOLUBILITY	NONE.
SOLUBILITY IN OTHER SOLVENTS	NOT DETERMINED.
PARTITION COEFFICIENT (N-OCTANOL/WATER)	NOT DETERMINED.
AUTO-IGNITION TEMPERATURE	NOT DETERMINED.
DECOMPOSITION TEMPERATURE	NOT DETERMINED.
KINEMATIC VISCOSITY	NOT DETERMINED.
EXPLOSIVE PROPERTIES	NOT DETERMINED.
OXIDIZING PROPERTIES	NOT DETERMINED

-----SECTION 10. STABILITY AND REACTIVITY -----

REACTIVITY: NOT REACTIVE UNDER NORMAL CONDITIONS.

CHEMICAL STABILITY: STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

POSSIBILITY OF HAZARDOUS REACTIONS: NONE UNDER NORMAL PROCESSING.

CONDITIONS TO AVOID: KEEP OUT OF REACH OF CHILDREN.

INCOMPATIBLE MATERIALS: NONE KNOWN.

HAZARDOUS DECOMPOSITION PRODUCTS: OXIDES OF CARBON.

-----SECTION 11. TOXICOLOGICAL INFORMATION -----

INFORMATION ON LIKELY ROUTES OF EXPOSURE:

EYE CONTACT: CAUSES SERIOUS EYE IRRITATION.

SKIN CONTACT: MAY CAUSE AN ALLERGIC SKIN REACTION.

INHALATION: AVOID BREATHING VAPORS OR MISTS.

INGESTION: DO NOT TASTE OR SWALLOW.

COMPONENT INFORMATION:

CHEMICAL NAME	ORAL LD50	DERMAL LD50	INHALATION LC50
---------------	-----------	-------------	-----------------

ISOPROPYL ALCOHOL (67-63-0)	4,396 MG/KG (RAT) 3,600 MG/KG (MOUSE)	12,870 MG/KG (RABBIT)	19,600 PPM (RAT)
--------------------------------	------------------------------------------	--------------------------	------------------

2 BUTOXYETHANOL (111-76-2)	1,300 MG/G (RAT) 1,400 MG/G (GUINEA PIG)	>2,000 MG/G (RAT) >2,000 MG/G (GUINEA PIG)	>4.9 MG/L (RAT 3 H) >3.4 MG/L (GUINEA PIG 1H)
-------------------------------	------------------------------------------------	--------------------------------------------------	--------------------------------------------------------

INFORMATION ON PHYSICAL, CHEMICAL AND TOXICOLOGICAL EFFECTS:

SYMPTOMS: PLEASE SECTION 4 OF THIS SDS FOR SYMPTOMS.

DELAYED AND IMMEDIATE EFFECTS AS WELL AS CHRONIC EFFECTS FROM SHORT AND LONG TERM EXPOSURE:

SENSITIZATION: MAY CAUSE AN ALLERGIC SKIN REACTION.

CARCINOGENICITY: NOT CLASSIFIABLE AS A HUMAN CARCINOGEN.

CHEMICAL NAME	ACGIH	IARC	NTP	OSHA
ISOPROPYL ALCOHOL (67-63-0)	NO	NO	NO	NO
2 BUTOXYETHANOL (111-76-2)	NO	NO	NO	NO

LEGEND:

IARC (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER):  
GROUP 3: IARC COMPONENTS ARE "NOT CLASSIFIABLE AS HUMAN CARCINOGENS".

OSHA (OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION OF THE US DEPARTMENT OF LABOR): X - PRESENT

NUMERICAL MEASURES OF TOXICITY: NOT DETERMINED.

## -----SECTION 12. ECOLOGICAL INFORMATION -----

ECOTOXICITY: TOXIC TO AQUATIC LIFE WITH LASTING EFFECTS.

CHEMICAL NAME	ALGAE/AQUATIC PLANTS	FISH	TOXICITY TO MICROORGANISMS	CRUSTACEA
ISOPROPYL ALCOHOL (67-63-0)	EC50/72 HOURS SCENEDESMUS SUBSPICATUS: >1,000 MG/L	LC50/96 HOURS PIMEPHALES PROMELAS: 9,640 MG/L	EC50/3 HOURS ACTIVATED SLUDGE: >1,000 MG/L	N/A

2 BUTOXY-	EC50 ALGAE	LC50/96 HOURS
ETHANOL	(PSEUDOKIRCHERIELLA	ONCORHYNCHUS
(111-76-2)	SUBCAPITATA, 72H):	MYKISS:
	1,840 MG/L	1,474 MG/L

PERSISTENCE/DEGRADABILITY: NOT DETERMINED.

BIOACCUMULATION: NOT DETERMINED.

MOBILITY: NOT DETERMINED.

OTHER ADVERSE EFFECTS: NOT DETERMINED.

#### -----SECTION 13. DISPOSAL CONSIDERATIONS -----

WASTE TREATMENT METHOD:

DISPOSAL OF WASTES:

DISPOSAL SHOULD BE IN ACCORDANCE WITH APPLICABLE REGIONAL, NATIONAL AND LOCAL LAWS AND REGULATIONS.

CONTAMINATED PACKAGING:

DISPOSAL SHOULD BE IN ACCORDANCE WITH APPLICABLE REGIONAL, NATIONAL AND LOCAL LAWS AND REGULATIONS.

#### -----SECTION 14. TRANSPORT INFORMATION -----

DOT: CONSUMER COMMODITY ORM-D.

PROPER SHIPPING NAME: CONSUMER COMMODITY ORM-D.

CONTAINERS 1 GALLON AND OVER:

DOT HAZARD CLASS: FLAMMABLE LIQUIDS N.O.S. (CONTAINS ALCOHOL) 3

PROPER SHIPPING NAME: FLAMMABLE LIQUID N.O.S. (CONTAINS ALCOHOL) 3

IDENTIFICATION NUMBER: UN1993, III

IATA: DO NOT SHIP BY AIR.

IMDG: THIS MATERIAL MAY MEET THE DEFINITION OF A MARINE POLLUTANT.

#### -----SECTION 15. REGULATORY INFORMATION -----

INTERNATIONAL INVENTORIES: NOT DETERMINED.



U.S. FEDERAL REGULATIONS: NOT DETERMINED.

SARA TITLE 313: NOT DETERMINED.

U.S. STATE REGULATIONS:

U.S RIGHT-TO-KNOW REGULATIONS: NOT DETERMINED.

-----SECTION 16. OTHER INFORMATION -----

NFPA:

HEALTH HAZARDS 1

FLAMMABILITY 2

INSTABILITY 0

SPECIAL HAZARDS NOT DETERMINED

HMIS:

HEALTH HAZARDS 1

FLAMMABILITY 2

INSTABILITY 0

SPECIAL HAZARDS NOT DETERMINED.

ISSUE DATE: 1ST MARCH 2014

REVISION DATE: 1ST MAY 2015

DISCLAIMER:

THE INFORMATION PROVIDED IN THIS SAFETY DATA SHEET IS CORRECT TO THE BEST OF OUR KNOWLEDGE, INFORMATION AND BELIEF AT THE DATE OF ITS PUBLICATION. THE INFORMATION GIVEN IS DESIGNED ONLY AS A GUIDANCE FOR SAFE HANDLING, USE, PROCESSING, STORAGE, TRANSPORTATION, DISPOSAL AND RELEASE AND IS NOT TO BE CONSIDERED A WARRANTY OR QUALITY SPECIFICATION. THE INFORMATION RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED AND MAY NOT BE VALID FOR SUCH MATERIAL USED IN COMBINATION WITH ANY OTHER MATERIALS OR IN ANY PROCESS, UNLESS SPECIFIED IN THE TEXT.

REVISED: 1ST MAY, 2015