

# MATERIAL SAFETY DATA SHEET

## SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Seal-Krete® Concrete Floor Sealer  
 Seal-Krete® Garage Floor Sealer  
 Seal-Krete® Floor-tex® Topcoat

**PART NUMBER:** 104001, 104011, 104005, 104055, 402001, 402005

**GENERAL USE:** Protective coating

**PRODUCT DESCRIPTION:** Opaque liquid, characteristic odor



<b>MANUFACTURER'S NAME</b> Seal-Krete		<b>DATE PREPARED:</b> October 6, 2006	Page 1 of 4
		<b>SUPERSEDES:</b> April 10, 2006	
<b>ADDRESS (NUMBER, STREET, P.O. BOX)</b> 306 Gandy Road		<b>TELEPHONE NUMBER FOR INFORMATION</b> (800) 323-7357	
<b>(CITY, STATE AND ZIP CODE)</b> Auburndale, FL 33823-2723		<b>COUNTRY</b> USA	<b>EMERGENCY TELEPHONE NUMBER</b> Chemtrec (800) 424-9300 Outside USA (703) 527-3887
<b>DISTRIBUTOR'S NAME</b> Same			
<b>ADDRESS (NUMBER, STREET, P.O. BOX)</b>		<b>TELEPHONE NUMBER FOR INFORMATION</b>	
<b>(CITY, STATE AND ZIP CODE)</b>		<b>EMERGENCY TELEPHONE NUMBER</b>	

## SECTION 2 - HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS	% (by weight)	CAS #	EINECS #	Hazard Symbol	RISK PHRASES Full Text Section 16
1-Phenoxy-2-propanol	1 - 5	770-35-4	212-222-7	NC	Not classified
Dipropylene glycol mono-n-propyl ether	1 - 5	29911-27-1	249-949-4	Xi	R-36

## SECTION 3 - HAZARDS IDENTIFICATION

### EMERGENCY OVERVIEW

Mild liquid, prolonged contact may cause skin & eye irritation. Ingestion may cause gastric distress. Hazard Symbols for this product - Xi. Risk Phrases - R36

### POTENTIAL HEALTH EFFECTS

**INHALATION:** Exposure to vapors not likely. High concentrations may be irritating to the respiratory tract; may cause headache, dizziness, nausea, vomiting and malaise.

**SKIN:** Brief contact may cause slight irritation; prolonged contact may cause moderate irritation.

**EYES:** Contact may cause slight temporary irritation. Corneal injury is unlikely.

**INGESTION:** Small amounts ingested are not likely to cause injury. Ingestion of large amounts may cause headache, dizziness, diarrhea and general weakness.

**CARCINOGENICITY** NTP? No IARC MONOGRAPHS? No OSHA REGULATED? No

**MATERIAL SAFETY DATA SHEET**

PRODUCT NAME: Seal-Krete® Concrete Floor Sealer, Seal-Krete® Garage Floor Sealer, Seal-Krete® Floor-tex® Topcoat  
 October 6, 2006

Page 2 of 4

**SECTION 4 - FIRST AID MEASURES**

**INHALATION:** Remove affected person to fresh air; provide oxygen if breathing is difficult; if affected person is not breathing, administer CPR and seek emergency medical attention.

**SKIN:** Remove contaminated clothing; wash affected area with soap and water; launder contaminated clothing before reuse; if irritation persists, seek medical attention.

**EYES:** Check for and remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.

**INGESTION:** Do not induce vomiting unless directed to do so by medical personnel; never give anything by mouth to an unconscious person; seek medical attention.

**SECTION 5 - FIRE FIGHTING MEASURES**

**GENERAL HAZARDS:** Product will support combustion. Products of combustion include compounds of carbon, hydrogen and oxygen, including carbon monoxide.

**EXTINGUISHING MEDIA**  
 Carbon dioxide, water fog, dry chemical, chemical foam.

**FIRE FIGHTING PROCEDURES**  
 Self - contained respiratory equipment; cool containers to prevent pressure buildup and possible explosion when exposed to extreme heat.  
 Caution - material will support combustion!

**UNUSUAL FIRE AND EXPLOSION HAZARDS**  
 Closed containers can explode due to buildup of pressure when exposed to extreme heat.

**HAZARDOUS COMBUSTION PRODUCTS**  
 Smoke, fumes or vapors, oxides of carbon.

**SECTION 6 - ACCIDENTAL RELEASE MEASURES**

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** WILL SUPPORT COMBUSTION. Evacuate and ventilate area; confine and absorb into absorbent; place material into approved containers for disposal. Do not discharge into lakes, ponds, streams or public waters.

**SECTION 7 - HANDLING AND STORAGE**

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:** Keep container closed when not in use; protect containers from abuse; protect from extreme temperatures, open flames. This material will support combustion. Keep this and other chemicals out of reach of children.

**SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**

HAZARDOUS COMPONENTS	NIOSH				ACGIH			
	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3
1-Phenoxy-2-propanol		Not established				Not established		
Dipropylene glycol mono-n-propyl ether		Not established				Not established		

**PERSONAL PROTECTION:**

**RESPIRATORY PROTECTION:** None required while threshold limits are kept below maximum allowable concentrations; if TWA exceeds limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134 or European Standard EN 149 for complete regulations.

**PROTECTIVE GLOVES:** Neoprene, butyl or nitrile rubber gloves with cuffs.

**EYE PROTECTION:** Chemical safety goggles. Refer to 29 CFR 1910.133 or European Standard EN166.

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** Coveralls, apron, or other equipment should be worn to minimize skin contact, safety eyewash station nearby.

**WORK / HYGIENIC PRACTICES:** Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

**MATERIAL SAFETY DATA SHEET**

PRODUCT NAME: Seal-Krete® Concrete Floor Sealer, Seal-Krete® Garage Floor Sealer, Seal-Krete® Floor-tex® Topcoat  
 October 6, 2006

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE AND ODOR Opaque liquid, characteristic odor	VAPOR PRESSURE 17 mm Hg @ 20° C
pH Not specified	SPECIFIC GRAVITY (WATER = 1) 1.020
BOILING POINT / BOILING RANGE 212° F (100° C)	SOLUBILITY IN WATER Dispersible
FLASH POINT > 200° F (> 93.3° C)	VISCOSITY Not specified
FLAMMABLE LIMITS LEL: Not applicable UEL: Not applicable	VAPOR DENSITY (AIR = 1) > 1
AUTOIGNITION TEMPERATURE Not determined	EVAPORATION RATE (WATER = 1) < 1
VOLATILE ORGANIC COMPOUNDS ( VOC's ) < 100 grams / liter	

**SECTION 10 - STABILITY AND REACTIVITY**

STABILITY UNSTABLE: STABLE: XXX	CONDITIONS TO AVOID: Extreme temperatures, open flames.
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids.	
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced.	
HAZARDOUS POLYMERIZATION MAY OCCUR: WILL NOT OCCUR: XXX	CONDITIONS TO AVOID: None

**SECTION 11 - TOXICOLOGICAL INFORMATION**

Hazardous Components	CAS # EINECS #	LD50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)
1-Phenoxy-2-propanol	770-35-4 212-222-7	2830 mg / kg Oral - rat	Not established
Dipropylene glycol mono-n-propyl ether	29911-27-1 249-949-4	1620 mg / kg Oral - rat	Not established

**SECTION 12 - ECOLOGICAL INFORMATION**

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

**SECTION 13 - DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL METHOD: Dispose of in accordance with Local, State, and Federal Regulations. This product may produce hazardous vapors in a closed disposal container creating a dangerous environment. Refer to "40 CFR Protection of Environment Parts 260 - 299" for complete waste disposal regulations. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals. Do not flush to sanitary sewer or waterway. According to the European Waste Catalogue, waste codes are application specific and should be assigned by the user based on the application for which the product is used.

**SECTION 14 - TRANSPORT INFORMATION**

PROPER SHIPPING NAME: Non - Hazardous for Transport	IATA HAZARD CLASS / Packaging Group: Not regulated
DOT HAZARD CLASS / Packaging Group: Not regulated	IMDG HAZARD CLASS: Not regulated
REFERENCE: Not Applicable	RID / ADR Dangerous Goods Code: Not regulated
UN / NA IDENTIFICATION NUMBER: None	UN TDG Class / Packaging Group: Not regulated
LABEL: None Required	Hazard Identification Number (HIN): None
HAZARD SYMBOLS: None	

Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

**MATERIAL SAFETY DATA SHEET**

PRODUCT NAME: Seal-Krete® Concrete Floor Sealer, Seal-Krete® Garage Floor Sealer, Seal-Krete® Floor-tex® Topcoat  
 October 6, 2006

**SECTION 15 - REGULATORY INFORMATION**

**TSCA (USA - Toxic Substance Control Act)**

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume or Polymer Exemption has been granted in accordance with 40 CFR 723.50.

**SARA TITLE III (USA - Superfund Amendments and Reauthorization Act)**

311/312 Hazard Categories  
 Immediate health

313 Reportable Ingredients:  
 None

**CERCLA (USA - Comprehensive Response Compensation and Liability Act)**

None

**California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986**

There are no chemicals present known to the state of California to cause cancer or reproductive toxicity.

**CPR (Canadian Controlled Products Regulations)**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: D2B

**IDL (Canadian Ingredient Disclosure List)**

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.

**DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)**

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.

**EINECS (European Inventory of Existing Commercial Chemical Substances)**

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

WGK Water Quality Index: nwg

VbK Index: A III

**RISK PHRASES:**

R36 Irritating to eyes.

**SYMBOL(S) REQUIRED FOR LABEL**

Irritant



**SAFETY PHRASES:**

S2 Keep out of the reach of children.  
 S24/25 Avoid contact with skin and eyes.

**SECTION 16 - OTHER INFORMATION**

**Notes & full R-Phrase text**

R36 Irritating to eyes.

**HMIS HAZARD RATINGS**

HEALTH	1	* = Chronic Health Hazard	2 = MODERATE
FLAMMABILITY	1	0 = INSIGNIFICANT	3 = HIGH
PHYSICAL HAZARD	0	1 = SLIGHT	4 = EXTREME
PERSONAL PROTECTIVE EQUIPMENT	C	Safety Glasses, Gloves, Apron	

**REVISION SUMMARY:**

This MSDS has been revised in the following sections: Section 2 Ingredients

MSDS Prepared by: Comprehensive Data Base, Inc.  
 P.O. Box 5604  
 Lakeland, FL 33807 USA (863) 644 - 3298 www.compdatabase.com

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.