Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be Consulted for specific requirements	U.S. Department of Labor #99-023 Occupation Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072		
IDENTITY	Note: Blank spaces are not permitted. If any item is not applicable, or no		
Semi-Permanent and Permanent Hair Dyes Containing No Alcohols	information is available, the space must be marked to indicate that.		
Section I			
Manufacturer's Name	Emergency Telephone Number		
L'Oreal USA Products, Inc.	(800) 535-5053 (Int'l 352-323-3500)		
Address (Number, Street, City, State, and ZIP Code)	Telephone Number For Information		
111 Terminal Avenue	(732) 499-2746		
	Date Prepared		
Clark, NJ 07066	January 27, 2006 (replaces 12-18-03)		
	Signature of Preparer (optional)		
	CLJ		

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity;Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
Ethanolamine	3 ppm			<10
Ethoxydiglycol				<10
Ammonium Hydroxide		25 ppm		<7
p-Phenylenediamine	0.1mg/m ³			<5
Aminophenols	None			<2
Resorcinol		10 ppm		<1.5
Hydroquinone	2 mg/m ³			<1

Boiling Point		Specific Gravity (H2O = 1)	States and the states of the s
	170-200°F		~1
Vapor Pressure (mm Hg)		Melting Point	
	N/A		N/A
Vapor Density (AIR = 1)		Evaporation Rate	
	<1	(Butyl Acetate = 1)	<1
Solubility in Water			
Dispersible			
Appearance and Odor			
White to tan viscous liquid o	r cream with an amm	onical odor.	
	anard Data		
Section IV - Fire and Explosion Ha	azaro Data		
Section IV - Fire and Explosion Ha Flash Point (Method Used)		mable Limits LEL	UEL
Flash Point (Method Used)			UEL N/A
	Flam		
Flash Point (Method Used) >200°F (closed cup)	Flam		
Flash Point (Method Used) >200°F (closed cup) Extinguishing Media	Flam		
Flash Point (Method Used) >200°F (closed cup) Extinguishing Media Not applicable.	Flam		
Flash Point (Method Used) >200°F (closed cup) Extinguishing Media Not applicable. Special Fire Fighting Procedures	Flam		
Flash Point (Method Used) >200°F (closed cup) Extinguishing Media Not applicable. Special Fire Fighting Procedures	Flam		
Flash Point (Method Used) >200°F (closed cup) Extinguishing Media Not applicable. Special Fire Fighting Procedures	Flam		

Forms published by ChemSW (707)864-0845

Section V - Re	eactivity Data	2.20			#99-023
Stability Unstable		Conditions to Avoid			
	Stable	X		None known.	
Incompatibility (Ma	iterials to Avoid)				
None known.					
Hazardous Decom	position or Byprodu	ucts			
None known.					
Hazardous	May Occur		Conditions to Avoid		
Polymerization	Will Not Occur	Х		None known.	
Section VI - H	ealth Hazard D	ata			
Route(s) of Entry:		Inhalation?		Skin?	Ingestion?
		Yes		Yes	Not likely.
Health Hazards (A	cute and Chronic)				

Harmful if swallowed, inhaled, or absorbed through skin. This product may cause serious irritant, respiratory, and/or allergic reactions in sensitive individuals.

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
	No	No	No

Signs and Symptoms of Exposure

Irritation of eyes, skin, and mucous membranes. Possible irritant/allergic dermatitis and respiratory signs and symptoms, the onset of which may be delayed.

Medical Conditions Generally Aggravated by Exposure

Existing dermatological conditions, such as eczema, and respiratory conditions, such as bronchial asthma and/or chronic bronchitis, may be exacerbated.

Emergency and First Aid Procedure

If swallowed, call a physician, hospital emergency room, or poison control center immediately. Induce vomiting <u>only</u> if recommended by medical personnel. Get prompt medical attention. If affected by inhalation, move to fresh air. If symptoms persist, get medical attention. If eye or skin contact occurs, immediately flush with water and get medical attention if irritation occurs.

Section VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled

Dike and contain the free liquid, if any, and absorb on vermiculite, spill pillows, or other suitable absorbant material. Place spent absorbants in proper containers for disposal.

Waste Disposal Method

This material is not regulated under RCRA. Accordingly, incineration at a non-hazardous waste treatment facility is the preferred method of disposal.

Precautions to be Taken in Handling and Storage

Use only with adequate ventilation and avoid inhalation. Avoid contact with eyes and skin (other than areas of application). Do not inhale or ingest. Prepare and use in a well-ventilated area. To assure maximum shelf-life, avoid direct sunlight.

Other Precautions

For external use only. Use only as directed. Keep out of reach of children. Patch test is intended to indentify skin reaction only; it will not necessarily predict sensitization or irritation secondary to inhalation. Read the product package insert completely.

Section VIII - Control Measures

Respiratory Protection (Specify Type)

For manufacturing/filling, wear a NIOSH-approved respirator if constitutent TLVs are exceeded. For spill management, use an approved self-contained breathing apparatus. For product use, respiratory protection is generally unnecessary.

Ventilation	Local Exhaust	Recommended	Special	
	Mechanical(General)	Generally	Other	
		Acceptable		

Plastic or rubber gloves.

Other Protective Clothing or Equipment

Safety glasses with side shields and protective clothing for bulk quantities.

Work/Hygienic Practices						
OSHA hazard classifi	cation: Irritant,	slightly t	toxic,	possible	sensitizer.	
DOT classification:						
	Finished Product	- Not regul	lated.			

Forms published by ChemSW (707)864-0845