Page: 1
Printed: 04/22/2015
Revision: 04/21/2015

Supersedes Revision: 06/18/2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Jasco TSP Substitute

Company Name: W. M. Barr Phone Number:

2105 Channel Avenue (901)775-0100

Memphis, TN 38113

Web site address: www.wmbarr.com

Emergency Contact: 3E 24 Hour Emergency Contact (800)451-8346 **Information:** W.M. Barr Customer Service (800)398-3892

Intended Use: Cleaning and Surface Preparation

Synonyms: QJTS00408, GJTS00410

Additional Information This product is regulated by the United States Consumer Product Safety Commission

and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to

using the product.

2. HAZARDS IDENTIFICATION

Skin Corrosion/Irritation, Category 1A-1C

Serious Eye Damage/Eye Irritation, Category 1

Specific Target Organ Toxicity (single exposure), Category 3





GHS Signal Word: Danger

GHS Hazard Phrases: H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage. H335: May cause respiratory irritation.

GHS Precaution Phrases: P260: Do not breathe gas/mist/vapors/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear {protective gloves/protective clothing/eye protection/face protection}.

GHS Response Phrases: P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER or doctor/physician.

P321: Specific treatment see label.

P363: Wash contaminated clothing before reuse.

GHS Storage and Disposal

P403+233: Store container tightly closed in well-ventilated place.

Phrases: P405: Store locked up.

P501: Dispose of contents/container to local, state and federal regulations.

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

Page: 2 Printed: 04/22/2015 Revision: 04/21/2015

Supersedes Revision: 06/18/2014

Hazard Rating System:

HEALTH - 2
FLAMMABILITY 0
PHYSICAL 0
PPE X

Flammability Instability
Health

NFPA: Special Hazard

HMIS:

OSHA Regulatory Status:

This material is classified as hazardous under OSHA regulations.

Potential Health Effects

INHALATION ACUTE EXPOSURE EFFECTS:

(Acute and Chronic): May cause dizziness; headache; irritation of the respiratory system; nausea and

vomiting.

SKIN CONTACT ACUTE EXPOSURE EFFECTS:

May cause irritation, itching, redness; swelling; inflammation; discomfort or pain; possible burns. May cause more severe effects on covered skin.

EYE CONTACT ACUTE EXPOSURE EFFECTS:

This material is an eye irritant. May cause irritation; redness and swelling of the conjunctiva; excess blinking and tear production; possible burns, eye damage, blindness.

INGESTION ACUTE EXPOSURE EFFECTS:

Moderately toxic if ingested. Small amounts swallowed incidentally are not likely to cause injury, however, larger amounts may cause injury.

CHRONIC EXPOSURE EFFECTS:

Effects on animals have been reported to include the blood (hemolysis) and secondary effects on the kidney and liver. May cause skin and eye damage.

3. COMPOSITION/INFORMATION ON INGREDIENTS

	CAS#	Hazardous Components (Chemical Name)	Concentration	RTECS#
	112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	<10.0 %	KJ9100000
	6834-92-0	Silicic acid (H2SiO3), Disodium salt {Sodium metasilicate (pentahydrate)}	< 5.0 %	VV9275000
	1300-72-7	Sodium xylenesulfonate	< 5.0 %	ZE5100000
l	68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	< 5.0 %	AZ8100000

Additional Chemical

Specific percentage of composition is being withheld as a trade secret.

nformation

Printed: 04/22/2015 Revision: 04/21/2015 Supersedes Revision: 06/18/2014

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

Skin:

Remove contaminated clothing. Immediately wash skin thoroughly with large amounts of water and mild soap, if available. Seek medical attention if irritation develops or

persists.

Eyes:

Immediately begin to flush eyes with water, remove any contact lens. Continue to flush

the eyes for at least 15 minutes. Seek medical attention.

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. Get immediate medical attention.

Ingestion:

If swallowed, do NOT induce vomiting. Seek immediate medical attention. Call a physician or poison control center immediately. Never give anything by mouth to an

unconscious person.

Signs and Symptoms Of

Exposure:

See Potential Health Effects.

5. FIRE FIGHTING MEASURES

Flash Pt: No data.

Explosive Limits: LEL: No data. UEL: No data.

No data. Autoignition Pt:

Suitable Extinguishing Media: Carbon dioxide, dry powder, or foam.

Unsuitable Extinguishing

Media:

None known.

Use NIOSH/MSHA approved positive pressure self-contained breathing apparatus when

any material is involved in a fire.

Flammable Properties and

Fire Fighting Instructions:

Hazards:

Flashpoint: No flash to boiling. Will not burn.

6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled:

Isolate the immediate area. Prevent unauthorized entry. Stay upwind, out of low areas, and ventilate closed spaces before entering. Do not touch or walk through spilled material. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to compatible containers. For large spills, dike ahead of the spill.

7. HANDLING AND STORAGE

Precautions To Be Taken in

Handling:

Read carefully all cautions and directions on product label before use. Since empty container retains residue, follow all label warnings even after container is empty. Dispose of empty container according to all regulations. Do not reuse this container.

Precautions To Be Taken in

Storing:

Keep container tightly closed when not in use. Store in a cool, dry place. Do not store near flames or at elevated temperatures.

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

GHS format

Page: 3

Page: 4 Printed: 04/22/2015 Revision: 04/21/2015

Supersedes Revision: 06/18/2014

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	No data.	No data.	No data.
6834-92-0	Silicic acid (H2SiO3), Disodium salt {Sodium metasilicate (pentahydrate)}	No data.	No data.	No data.
1300-72-7	Sodium xylenesulfonate	No data.	No data.	No data.
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	No data.	No data.	No data.

Respiratory Equipment (Specify Type):

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's

use.

If the work area is not properly ventilated to keep airborne levels below their exposure limits, you must use a properly fitted and maintained NIOSH approved respirator for organic vapors. A dust mask does not provide protection against vapors.

Safety glasses, chemical goggles, or face shields are recommended to safeguard Eye Protection:

against potential eye contact, irritation, or injury. Contact lenses should not be worn

while working with chemicals.

Protective Gloves: Nitrile, neoprene, natural rubber

Various application methods can dictate use of additional protective safety equipment, Other Protective Clothing:

such as impermeable aprons, etc., to minimize exposure.

Engineering Controls (Ventilation etc.):

Use process enclosures, local exhaust ventilation, or other engineering controls to

control airborne levels below recommended exposure limits.

Use only with adequate ventilation to prevent buildup of vapors. Do not use in areas where vapors can accumulate and concentrate, such as basements, bathrooms or small enclosed areas. Whenever possible, use outdoors in an open air area. If using indoors open all windows and doors and maintain a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea or eye-watering -- STOP -- ventilation is inadequate. Leave area immediately

and move to fresh air.

Practices:

Work/Hygienic/Maintenance Wash hands thoroughly after use and before eating, drinking, or smoking. Do not eat, drink, or smoke in the work area. Discard any clothing or other protective equipment that

cannot be decontaminated.

Page: 5
Printed: 04/22/2015
Revision: 04/21/2015
Supersedes Revision: 06/18/2014

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States:[] Gas [X] Liquid [] SolidAppearance and Odor:Appearance: Blue, Free and Clear

No data.

Melting Point:No data.Boiling Point:> 200.00 FAutoignition Pt:No data.Flash Pt:No data.

Explosive Limits: LEL: No data. UEL: No data.

Specific Gravity (Water = 1): 1.0413 - 1.0713

Vapor Pressure (vs. Air or

mm Hg):

Vapor Density (vs. Air = 1): > air

Evaporation Rate: < 1 (BuAC=1)
Solubility in Water: Complete
Viscosity: 5 CPS
pH: 12.7 - 13.4
Percent Volatile: 93.0 % by weight.
VOC / Volume: 0.0000 % WT

10. STABILITY AND REACTIVITY

Stability: Unstable [] Stable [X]

Conditions To Avoid -

Instability:

Incompatibility - Materials To Strong oxidizers and acids.

Avoid:

Hazardous Decomposition Or Carbon dioxide and carbon monoxide

No data available.

Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - No data available.

Hazardous Reactions:

Page: 6
Printed: 04/22/2015
Revision: 04/21/2015

Supersedes Revision: 06/18/2014

11. TOXICOLOGICAL INFORMATION

Toxicological Information: This product has not been tested as a whole. Refer to section 2 for acute and chronic

effects.

CAS# 112-34-5:

Chronic Toxicological

Effects:

Standard Draize Test, Eyes, Species: Rabbit, 20.00 MG, Severe.

Result:

Behavioral: Anticonvulsant.

- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave.,

Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946

CAS# 6834-92-0:

Standard Draize Test, Skin, Species: Guinea pig, 250.0 MG, 24 H, Moderate.

Result:

Effects on Fertility: Other measures of fertility.

- Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN

55802, Vol/p/yr: 31,481, 1975

CAS# 68439-46-3:

Acute toxicity, LD50, Oral, Rat, 1378. MG/KG.

Result:

Behavioral: Somnolence (general depressed activity).

Behavioral: Ataxia.

Gastrointestinal: Hypermotility, diarrhea.

- Journal of the American College of Toxicology., Mary Ann Liebert, Inc., New York, NY,

Vol/p/yr: 10(4),427, 1991

l	CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
	112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	n.a.	n.a.	n.a.	n.a.
	6834-92-0	Silicic acid (H2SiO3), Disodium salt {Sodium metasilicate (pentahydrate)}	n.a.	n.a.	n.a.	n.a.
l	1300-72-7	Sodium xylenesulfonate	n.a.	n.a.	n.a.	n.a.
l	68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	n.a.	n.a.	n.a.	n.a.

12. ECOLOGICAL INFORMATION

General Ecological

This product has not been tested as a whole.

Information:

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of in accordance with local, state, and federal laws.

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

GHS format

Printed: 04/22/2015 Revision: 04/21/2015

Supersedes Revision: 06/18/2014

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Compound Cleaning Liquid

DOT Hazard Class: UN/NA Number:

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists						
CAS # Hazardous Co		ponents (Chemica	ıl Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
112-34-5	Diethylene glycol monobutyl ether {2-(2-Butoxyethoxy)ethanol {(a glycol ether)}			No	No	Yes-Cat. N230
6834-92-0 Silicic acid (H2SiO3), Disodium salt metasilicate (pentahydrate)}			{Sodium	No	No	No
1300-72-7	Sodium xylenesu	lfonate		No	No	No
68439-46-3	Alcohol ethoxylat	e (Alcohols, C9-11,	Ethoxylated)	No	No	No
'Hazard Categories' defined [] Yes [X] No for SARA Title III Sections [] Yes [X] No 311/312 as indicated: [] Yes [X] No			Fire Hazard			
CAS#	Hazardous Com	ponents (Chemica	ıl Name)	Other US EPA or S	State Lists	

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
112-34-5	Diethylene glycol monobutyl ether	CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: Yes -
	{2-(2-Butoxyethoxy)ethanol {(a glycol ether)}	Inventory, 4 Test; CA PROP.65: No
6834-92-0	Silicic acid (H2SiO3), Disodium salt {Sodium	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
	metasilicate (pentahydrate)}	Inventory; CA PROP.65: No
1300-72-7	Sodium xylenesulfonate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No
68439-46-3	Alcohol ethoxylate (Alcohols, C9-11, Ethoxylated)	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -
		Inventory; CA PROP.65: No

16. OTHER INFORMATION

04/21/2015 Revision Date:

W.M. Barr EHS Dept Preparer Name: (901)775-0100

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.

Licensed to W.M. Barr and Company: MIRS MSDS, (c) A V Systems, Inc.

GHS format

Page: 7