MSDS No.: EB1

I. Basic Information:			
Manufacturer: RADIATOR SPECIALTY COMPANY	NFPA Fire		
Address: 600 RADIATOR ROAD	Health Reactivity		
City, ST Zip: INDIAN TRAIL, NC 28079	Health Reactivity		
Emergency Contact: Rocky Mountain Poision Control Center			
Emergency Telephone Number: 303-623-5716	Specjal		
Contact: Robert Geer			
Information Telephone Number: 704-688-3430	2 Health		
Last Update: 11/16/2005	2 Flammability		
Chemical State: X Liquid Gas Solid	0 Reactivity		
Chemical Type: Pure X Mixture	B Pers. Protection		

II. Ingredients:

Trade Secret

			EHS IA	RC	SARA			
CAS No.	Chemical Name	% Range	NTP	SUB Z	313	OSHA PEL	ACGIH TLV	Other Limits
111762	2-Butoxyethanol	1-2		•	Х	25 ppm	25 ppm	
78330128	Alkyl Aryl Sulfonate	<1				N/E	N/E	5 mg/m3
124389	Carbon dioxide	1-3				N/AV	5000 ppm	
9016459	Ethoxylated Nonyl Phenol	3-5				N/D	N/D	
68476346	Petroleum distillate, Aliphatic	80-88				N/E	100 ppm	N/E
64742945	Petroleum naphtha	6-9			х	N/E	N/E	100 ppm
III. Hazardous Identification:								
Hazard Categ	gory:							
X Acu	te Chronic	X Fi	re		X Pres	ssure		Reactive
Hazardous Identification Information: Flammable. Harmful or Fatal if Swallowed. Eye and Skin Irritant. Contents Under Pressure.								

Level 3 Aerosol

IV. First Aid Measures:

Route(s) of Entry:

Absorption, Eye, Inhalation, and Ingestion.

Health Hazards (Acute and Chronic):

See signs and symptoms below

Signs and Symptoms:

Eye Contact: Irritant. Prolonged contact may cause conjunctivitis. Skin Contact: Irritant. Defatting of tissue, dermatitis may occur. Inhalation: Irritant to mucous membranes. Repeated exposure may cause narcosis.. Ingestion: HARMFUL OR FATAL IF SWALLOWED.

Medical Conditions Generally Aggravated by Exposure:

None Known

MSDS No.: EB1

Emergency and First Aid Procedures:

Eye Contact: Flush eyes with clean water for 15 minutes while lifting eyelids. Get prompt medical attention. Skin Contact: Wash with soap and water thoroughly. If adverse effects persist, get prompt medical attention. Launder contaminated clothing before reuse.

Inhalation: Remove to fresh air. If breathing becomes difficult give oxygen and get prompt medical attention. If breathing stops, give artificial respiration and get prompt medical attention.

Ingestion: DO NOT INDUCE VOMITING! Call Poison Control Center, physician, or hospital emergency room immediately. Aspiration of vomitus into the lungs can cause pneumonitis, which can be fatal.

Other Health Warnings:

Vomiting and subsequent aspiration into the lungs may lead to chemical pneumonia and pulmonary edema which is a potentially fatal condition.

V. Fire Fight	ting Measures:				
---------------	----------------	--	--	--	--

Flash Point: 165°f

Lower Explosive Limit: N/E

Upper Explosive Limit: N/E

F.P. Method: TCC

Fire Extinguishing Media: Water Fog, Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures:

Wear self-contained positive pressure breathing apparatus and protective clothes. Cool containers with a water fog. Do not use forced water stream as this could cause the fire to spread. Use shield to protect from rupturing and venting containers.

Unusual Fire and Explosion:

At elevated temperatures containers may vent, rupture or burst, even violently

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

Eliminate all ignition sources. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Dike or contain spill and absorb with inert materials (sand, sawdust, absorbent sweeping compounds, rags, etc). Using a non-metalic scoop, place contaminated material into an approved chemical waste container. Where possible, vacuum spilled liquid using an explosion proof vacuum to recover material. Prevent run-off to sewers, streams, or other bodies of water. If run-off occurs, notify proper authorities as required that a spill has occured.

VII. Handling and Storage:

Precautions to be Taken:

Handling: Use with adequate ventilation and proper protective equipment. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Store in cool, well ventilated area below 120°F away from heat sources.

Other Precautions:

Avoid contact with eyes. Avoid prolonged or repeated breathing of vapors. If exposure may or does exceed occupational exposure limits, use a NIOSH approved respirator to prevent over-exposure.

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

See Section 2 for applicable exposure limits. Use with adequate ventilation. If TLV is exceeded, wear NIOSH approved respirator.

Personal Protective Equipment:

See Section 2 for applicable exposure limits. For prolonged exposure wear protective safety glasses, gloves, and apron.

MSDS No.: EB1

IX. Physical and Chemical Properties:			
Boiling Point: 305°F	Melting Point: N/A		
Evaporation Rate (Butyl Acetate = 1): N/D	Vapor Pressure (mm Hg.): N/D		
Specific Gravity (H20 = 1): 0.86000	Vapor Density (AIR = 1): 1.2		
Solubility In Water: Emulifies	Appearance and Odor: Amber liquid with petroleum odor		
Other Information: VOC Content: 18%			

X. Stability and Reactivity:

Stability:

Stable

Incompatibility (Materials to Avoid):

Strong oxidizing agents.

Decomposition/By Products:

High temperatures and ignition sources produce products of combustion: carbon monoxide, sulfur-like smoke.

Hazardous Polymerization:

Will not occur.

XI. Toxicological Information:

N/D

XII. Ecological Information:

N/D

XIII. Disposal Considerations:

DISPOSAL: This container may be recycled in aerosol recycling centers when empty. Before offering for recycling, empty the can by using the product according to the label. DO NOT PUNCTURE! If recycling is not available, wrap the container and discard in the trash. Dispose of unused product in accordance with all local, state government and federal laws and regulations.

XIV. Transport Information:

DOT Hazard Class: ORM-D Shipping Name: Consumer Commodity

XV. Regulatory Information:

See Section 2 for SARA Reportable Chemicals.

USA TSCA: All components of this material are listed on the US TSCA Inventory.

Warning: This product contains a chemical(s) known to the State of California to cause cancer or birth defects or other reproductive harm.

XVI. Other Information:

MSDS No.: EB1

Do not used in confined area without proper ventilation. Contact lenses may cause further damage in case of splash into eye. KEEP AWAY FROM CHILDREN AND ANIMALS!

N/E: Not Established N/D: Not Determined N/A: Not Applicable N/AV: Not Available

While Radiator Specialty Company believes this data is accurate as of the revision date, we make no warranty with respect to the data and we expressly disclaim all liability for reliance thereon. The data is offered soley for information, investigation, and verification. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this MSDS. The user is repsonsible for full compliance.