

## SAFETY DATA SHEET

Version 6.2  
Revision Date 07/28/2021  
Print Date 04/29/2023

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : Silver nitrate

Product Number : S6506  
Brand : SIGALD  
Index-No. : 047-001-00-2  
CAS-No. : 7761-88-8

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Synthesis of substances

**1.3 Details of the supplier of the safety data sheet**

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

**1.4 Emergency telephone**

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-  
527-3887 CHEMTREC (International) 24  
Hours/day; 7 Days/week

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Oxidizing solids (Category 2), H272  
Corrosive to Metals (Category 1), H290  
Skin corrosion (Category 1B), H314  
Serious eye damage (Category 1), H318  
Short-term (acute) aquatic hazard (Category 1), H400  
Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

**2.2 GHS Label elements, including precautionary statements**

Pictogram



Signal word	Danger
Hazard statement(s)	
H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P210	Keep away from heat.
P220	Keep/Store away from clothing/ combustible materials.
P221	Take any precaution to avoid mixing with combustibles.
P234	Keep only in original container.
P260	Do not breathe dusts or mists.
P264	Wash skin thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P390	Absorb spillage to prevent material damage.
P391	Collect spillage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Formula	: AgNO <sub>3</sub>
Molecular weight	: 169.87 g/mol
CAS-No.	: 7761-88-8
EC-No.	: 231-853-9
Index-No.	: 047-001-00-2

Component	Classification	Concentration
<b>Silver nitrate</b>		
	Ox. Sol. 2; Met. Corr. 1; Skin Corr. 1B; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1; H272,	<= 100 %

SIGALD - S6506

Page 2 of 10

	H290, H314, H318, H400, H410 Concentration limits: >= 1 %: Met. Corr. 1, H290; M-Factor - Aquatic Acute: 1,000 - Aquatic Chronic: 100	
--	--	--

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NO<sub>x</sub>)

Silver/silver oxides

Container explosion may occur under fire conditions.

Not combustible.  
Has a fire-promoting effect due to release of oxygen.  
Ambient fire may liberate hazardous vapours.

**5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

**5.4 Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.  
For personal protection see section 8.

**6.2 Environmental precautions**

Do not let product enter drains.

**6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

**6.4 Reference to other sections**

For disposal see section 13.

---

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

**Advice on protection against fire and explosion**

Keep away from open flames, hot surfaces and sources of ignition.

**Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.  
For precautions see section 2.2.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage conditions**

Tightly closed. Do not store near combustible materials.

Light sensitive.

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

**7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Silver nitrate	7761-88-8	TWA	0.01 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	0.01 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		TWA	0.01 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	0.01 mg/m3	USA. NIOSH Recommended Exposure Limits
		PEL	0.01 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

### 8.2 Exposure controls

#### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

##### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatrill® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatrill® L

**Body Protection**

protective clothing

**Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

**Control of environmental exposure**

Do not let product enter drains.

---

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

a) Appearance	Form: solid Color: colorless
b) Odor	odorless
c) Odor Threshold	Not applicable
d) pH	No data available
e) Melting point/freezing point	Melting point/range: 212 °C (414 °F) - dec.
f) Initial boiling point and boiling range	440 °C 824 °F - Decomposes on heating.
g) Flash point	( )Not applicable
h) Evaporation rate	No data available
i) Flammability (solid, gas)	The product is not flammable.
j) Upper/lower flammability or explosive limits	No data available
k) Vapor pressure	No data available
l) Vapor density	No data available
m) Density	4.350 g/cm <sup>3</sup>
Relative density	No data available
n) Water solubility	No data available
o) Partition coefficient: n-octanol/water	log Pow: 5
p) Autoignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	The substance or mixture is classified as oxidizing with the

SIGALD - S6506

Page 6 of 10

category 2.

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .  
Decomposes on exposure to light.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Light.  
no information available

### 10.5 Incompatible materials

Aluminum, Mild steelMetals

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 3,804 mg/kg  
(OECD Test Guideline 401)  
LC50 Inhalation - Rat - male and female - 4 h - > 0.075 mg/l  
(OECD Test Guideline 403)  
LD50 Dermal - Rat - male and female - > 2,000 mg/kg  
(OECD Test Guideline 402)  
No data available

#### Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)  
Result: Corrosive - 3 - 60 min  
(OECD Test Guideline 431)  
(Regulation (EC) No 1272/2008, Annex VI)

#### Serious eye damage/eye irritation

Causes serious eye damage. Risk of permanent damage due to staining of the cornea.

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

Test Type: Micronucleus test  
Test system: Human lymphocytes  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 487

SIGALD - S6506

Page 7 of 10

Result: negative  
Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: Positive results were obtained in some in vitro tests.

#### **Carcinogenicity**

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

#### **Specific target organ toxicity - single exposure**

No data available

#### **Specific target organ toxicity - repeated exposure**

No data available

#### **Aspiration hazard**

No data available

### **11.2 Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - 52 Days - NOAEL (No observed adverse effect level) -  $\geq 250$  mg/kg

RTECS: VW4725000

May cause argyria (a slate-gray or bluish discoloration of the skin and deep tissues due to the deposit of insoluble albuminate of silver)., Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

Toxicity to fish	semi-static test LC50 - Pimephales promelas (fathead minnow) - 0.0012 mg/l - 96 h (US-EPA)
Toxicity to daphnia and other aquatic invertebrates	semi-static test LC50 - Daphnia magna (Water flea) - 0.00022 mg/l - 48 h Remarks: (ECHA)

### **12.2 Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.



### 12.3 Bioaccumulative potential

Bioaccumulation      Cyprinus carpio (Carp) - 41 d  
at 20 °C(Silver nitrate)

Bioconcentration factor (BCF): 70

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information

#### DOT (US)

UN number: 1493    Class: 5.1    Packing group: II  
Proper shipping name: Silver nitrate  
Reportable Quantity (RQ): 1 lbs  
Poison Inhalation Hazard: No

#### IMDG

UN number: 1493    Class: 5.1    Packing group: II    EMS-No: F-A, S-Q  
Proper shipping name: SILVER NITRATE  
Marine pollutant : yes

#### IATA

UN number: 1493    Class: 5.1    Packing group: II  
Proper shipping name: Silver nitrate

---

## SECTION 15: Regulatory information

#### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
Silver nitrate	7761-88-8	1993-02-16

SIGALD - S6506

Page 9 of 10

**SARA 311/312 Hazards**

Reactivity Hazard, Acute Health Hazard

**Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

---

**SECTION 16: Other information****Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 6.2

Revision Date: 07/28/2021

Print Date: 04/29/2023