Printing date 11/25/2021 Reviewed on 09/26/2019

1 Identification

· Product identifier

· Trade name: OPI Nail Lacquer Natural Nail Base Coat

· Article number: ENG092028

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Wella International Operations Switzerland Sarl, Chemin Louis-Hubert 1-3, 1213 Petit-Lancy, Switzerland

· Information department: Wella SDS Info Team

· Emergency telephone number:

CHEMTREC Emergency number: +1-704-741-5970

CHEMTREC: +1 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

S02 GHS07

- · Signal word Danger
- Hazard-determining components of labeling:

ethyl acetate

Butyl acetate

heptane

isopropyl alcohol

· Hazard statements

Highly flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

(Contd. on page 2)

Printing date 11/25/2021 Reviewed on 09/26/2019

Trade name: OPI Nail Lacquer Natural Nail Base Coat

(Contd. of page 1)

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
	ethyl acetate	>25-≤50%
64-17-5	ethyl alcohol	>10-≤25%
	Butyl acetate	≥20-≤25%
142-82-5	_ _	10%
9004-70-0	Nitrocellulose	>2.5-≤10%
	isopropyl alcohol	≤2.5%
	Polyvinyl Butyral	≤2.5%
76-22-2	Camphor	≤2.5%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 11/25/2021 Reviewed on 09/26/2019

Trade name: OPI Nail Lacquer Natural Nail Base Coat

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· <i>PAC-1</i> :		
141-78-6	ethyl acetate	1,200 ppn
64-17-5	ethyl alcohol	1,800 ppn
123-86-4	Butyl acetate	5 ppm
142-82-5	heptane	500 ppm
67-63-0	isopropyl alcohol	400 ppm
· PAC-2:		
141-78-6	ethyl acetate	1,700 ppm
64-17-5	ethyl alcohol	3300* ppn
123-86-4	Butyl acetate	200 ррт
142-82-5	heptane	830 ppm
67-63-0	isopropyl alcohol	2000* ppn
· <i>PAC-3</i> :		
141-78-6	ethyl acetate	10000** ppr
64-17-5	ethyl alcohol	15000* ppm
123-86-4	Butyl acetate	3000* ppm
142-82-5	heptane	5000* ppm
67-63-0	isopropyl alcohol	12000** ppr

Printing date 11/25/2021 Reviewed on 09/26/2019

Trade name: OPI Nail Lacquer Natural Nail Base Coat

(Contd. of page 3)

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 3
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

211 111	is time, the other constituents have no known exposure timus.	
141-	78-6 ethyl acetate	
PEL	Long-term value: 1400 mg/m³, 400 ppm	
REL	EL Long-term value: 1400 mg/m³, 400 ppm	
TLV	Long-term value: 400 ppm	
64-1	7-5 ethyl alcohol	
PEL	Long-term value: 1900 mg/m³, 1000 ppm	
REL	Long-term value: 1900 mg/m³, 1000 ppm	
TLV	Short-term value: 1000 ppm	
	A3	
123-	86-4 Butyl acetate	
PEL	Long-term value: 710 mg/m³, 150 ppm	
REL	Short-term value: 950 mg/m³, 200 ppm	
	Long-term value: 710 mg/m³, 150 ppm	
TLV	Short-term value: 150 ppm	
	Long-term value: 50 ppm	
142-	82-5 heptane	
PEL	Long-term value: 2000 mg/m³, 500 ppm	
REL	Long-term value: 350 mg/m³, 85 ppm	
	Ceiling limit value: 1800* mg/m³, 440* ppm	
	*15-min	
	(Contd. on page 5)	

(Contd. on page 5)

Printing date 11/25/2021 Reviewed on 09/26/2019

Trade name: OPI Nail Lacquer Natural Nail Base Coat

(Contd. of page 4) TLV Short-term value: 500 ppm Long-term value: 400 ppm 67-63-0 isopropyl alcohol PEL Long-term value: 980 mg/m³, 400 ppm REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm TLV Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4 76-22-2 Camphor PEL Long-term value: 2 mg/m³ REL Long-term value: 2 mg/m³ TLV Short-term value: 3 ppm Long-term value: 2 ppm · Ingredients with biological limit values: 67-63-0 isopropyl alcohol BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Printing date 11/25/2021 Reviewed on 09/26/2019

Trade name: OPI Nail Lacquer Natural Nail Base Coat

· Eye protection:



Tightly sealed goggles

(Contd. of page 5)

Information on basic physical and c General Information	hemical properties
Appearance:	
Form:	Fluid
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	77-78 °C (170.6-172.4 °F)
Flash point:	-5 °C (23 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	215 °C (419 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vap mixtures are possible.
Explosion limits:	
Lower:	1.1 Vol %
Upper:	15 Vol %
Vapor pressure at 20 °C (68 °F):	97 hPa (72.8 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	84.5 %
VOC content:	84.49 %
	844.9 g/l / 7.05 lb/gal

Printing date 11/25/2021 Reviewed on 09/26/2019

Trade name: OPI Nail Lacquer Natural Nail Base Coat

		(Contd. of page 6)
Solids content:	11.3 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

LD/LC50 values that are relevant for classification:		
141-78-6 e	thyl acetat	te
Oral	LD50	5,620 mg/kg (rabbit)
Inhalative	LC50/4 h	1,600 mg/l (rat)
64-17-5 eti	hyl alcohol	I
Oral	LD50	10,470 mg/kg (rat) (bw (OECD 401))
Inhalative	LC50/4 h	116.9 mg/l (rat) (air (//OECD 403))
123-86-4 E	Butyl aceta	te
Oral	LD50	13,100 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>21 mg/l (rat)
142-82-5 h	eptane	
Oral	LD50	>5,000 mg/kg (rat)
67-63-0 isa	opropyl alc	cohol
Oral	LD50	5,840 mg/kg (rat) (bw (//OECD 401))
Dermal	LD50	12,956 mg/kg (rabbit) (bw (//OECD 402))
Inhalative	LC50/4 h	>24.578 mg/l (rat) (air (//OECD 403))
76-22-2 Cd	amphor	
Oral	LD50	1,500 mg/kg (rat)
D		

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

(Contd. on page 8)

Reviewed on 09/26/2019 Printing date 11/25/2021

Trade name: OPI Nail Lacquer Natural Nail Base Coat

(Contd. of page 7)

· Carcinogenic categories	
· IARC (International Agency for Research on Cancer)	
64-17-5 ethyl alcohol	1
67-63-0 isopropyl alcohol	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
OSHA-Ca (Occupational Safety & Health Administration)	

12 Ecological information

None of the ingredients is listed.

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.

· UN-Number	
· DOT, IMDG, IATA	UN1263
· UN proper shipping name	
$\cdot DOT$	Paint
· IMDG	PAINT (HEPTANES), MARINE POLLUTANT
· IATA	PAINT

(Contd. on page 9)

Printing date 11/25/2021 Reviewed on 09/26/2019

Trade name: OPI Nail Lacquer Natural Nail Base Coat

(Contd. of page 8) · Transport hazard class(es) $\cdot DOT$ 3 Flammable liquids · Class ·Label · IMDG · Class 3 Flammable liquids · Label \cdot IATA 3 Flammable liquids · Class ·Label · Packing group · DOT, IMDG, IATA II· Environmental hazards: · Marine pollutant: Symbol (fish and tree) · Special precautions for user Warning: Flammable liquids · Hazard identification number (Kemler code): 33 F-E,S-E· EMS Number: · Stowage Category · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: $\cdot DOT$ On passenger aircraft/rail: 5 L · Quantity limitations On cargo aircraft only: 60 L \cdot IMDG · Limited quantities (LQ) 5LCode: E2 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN 1263 PAINT, 3, II, ENVIRONMENTALLY HAZARDOUS · UN "Model Regulation":

Printing date 11/25/2021 Reviewed on 09/26/2019

Trade name: OPI Nail Lacquer Natural Nail Base Coat

(Contd. of page 9)

	th and environmental regulations/legislation specific for t elevant information available.	the substance or mixture
Section 355	(extremely hazardous substances):	
None of the	ingredients is listed.	
Section 313	(Specific toxic chemical listings):	
67-63-0 iso ₁	propyl alcohol	
TSCA (Toxi	c Substances Control Act):	
	ethyl acetate	ACTIV
64-17-5	ethyl alcohol	ACTIV
123-86-4	Butyl acetate	ACTIV
142-82-5	heptane	ACTIV
9004-70-0	Nitrocellulose	ACTIV
67-63-0	isopropyl alcohol	ACTIV
6846-50-0	TRIMETHYL PENTANYL DIISOBUTYRATE	ACTIV
63148-65-2	Polyvinyl Butyral	ACTIV
76-22-2	Camphor	ACTIV
131-56-6	Benzophenone-1	ACTIV.
Hazardous 2	Air Pollutants	-
None of the	ingredients is listed.	
Proposition		
Chemicals k	nown to cause cancer:	
None of the	ingredients is listed.	
Chemicals k	nown to cause reproductive toxicity for females:	
	ingredients is listed.	
Chemicals k	nown to cause reproductive toxicity for males:	
	ingredients is listed.	
	nown to cause developmental toxicity:	
64-17-5 eth		
Carcinogen		
142-82-5 he	onmental Protection Agency)	
	•	
,	hold Limit Value)	12
64-17-5 eth		A
-	propyl alcohol	A
76-22-2 Ca	•	
	(National Institute for Occupational Safety and Health)	
None of the	ingredients is listed.	

(Contd. of page 10)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/25/2021 Reviewed on 09/26/2019

Trade name: OPI Nail Lacquer Natural Nail Base Coat

· Hazard pictograms





GHS02

311502 311507

· Signal word Danger

· Hazard-determining components of labeling:

ethyl acetate

Butyl acetate

heptane

isopropyl alcohol

· Hazard statements

Highly flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

May cause drowsiness or dizziness.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Abteilung Umweltschutz
- · Contact: Hr. Dr. Speckbacher
- Date of preparation / last revision 11/25/2021 / -

(Contd. on page 12)

Printing date 11/25/2021 Reviewed on 09/26/2019

Trade name: OPI Nail Lacquer Natural Nail Base Coat

(Contd. of page 11)

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3