

**Safety Data Sheet**  
**Big Kizzy Remover 2**

**SECTION 1: Identification**

---

**1.1 Product identifier**

Product name Big Kizzy Hair Extension Remover II

**1.2 Other means of identification**

Naphtha (petroleum), heavy alkylate

**1.3 Recommended use of the chemical and restrictions on use**

Removal of Adhesive from Skin

**1.4 Supplier's details**

Name Bibble Kick Products  
Address Big Kizzy Hair  
10048 Monroe Dr  
Dallas, TX 75229

Telephone (214) 614-2442  
Fax

**1.5 Emergency phone number(s)**

Sunshine Tape - (954) 458-9790

**SECTION 2: Hazard identification**

---

**2.1 Classification of the substance or mixture**

**GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)**

- Aspiration hazard, Cat. 1
- Skin corrosion/irritation, Cat. 2
- Flammable liquids, Cat. 3
- Specific target organ toxicity (single exposure), Cat. 3

**2.2 GHS label elements, including precautionary statements**

**Pictogram**



**Signal word**

**Danger**

**Hazard statement(s)**

H226 Flammable liquid and vapor  
H304 May be fatal if swallowed and enters airways  
H315 Causes skin irritation  
H336 May cause drowsiness or dizziness

# Safety Data Sheet

## Big Kizzy Remover 2

### Precautionary statement(s)

P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear eye protection/face protection/protective gloves.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor
P302+P352	IF ON SKIN: Wash with plenty of water
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P331	Do NOT induce vomiting.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P403+P233+P235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.
P405	Store locked up
P501	Dispose of contents/container in accordance with applicable Federal, State and local laws and regulations

### 2.3 Other hazards which do not result in classification

Not data available

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

#### Components

Component	Concentration
Naphtha (petroleum), heavy alkylate (CAS no.: 64741-65-7)	90-100 % (weight)

## SECTION 4: First-aid measures

### 4.1 Description of necessary first-aid measures

If inhaled	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
	In case of skin contact Take off immediately all contaminated clothing. Wash with plenty of soap and water. Get medical attention if irritation develops or persists.
In case of eye contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, get medical attention

# Safety Data Sheet

## Big Kizzy Remover 2

If swallowed

Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

If inhaled

May cause drowsiness or dizziness.

In case of eye contact

Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available.

## SECTION 5: Fire-fighting measures

---

### 5.1 Suitable extinguishing media

Use alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Specific hazards arising from the chemical

Highly flammable liquid and vapor. Hazardous combustion products: Carbon oxides.

### 5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

### Further information

Use water spray to cool unopened containers.

## SECTION 6: Accidental release measures

---

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Eliminate all sources of ignition. Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

### Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

---

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Wash hands with soap and water after handling. Keep away from sources of ignition. No smoking. Use explosion-proof equipment. Take measures to prevent the buildup of electrostatic charge. Open container carefully as content may be under pressure. For precautions see section 2.

## **7.2 Conditions for safe storage, including any incompatibilities**

Keep container tightly closed in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

## **Specific end use(s)**

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

## **SECTION 8: Exposure controls/personal protection**

---

### **8.1 Control parameters**

No data available

### **8.2 Appropriate engineering controls**

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits.

### **8.3 Individual protection measures, such as personal protective equipment (PPE)**

#### **Pictograms**



#### **Eye/face protection**

Safety glasses. If splash hazard, wear face shield (8-inch minimum). Use equipment for eye protection that meets the standards referenced by OSHA regulations in 29 CFR 1910.133 for Personal Protective Equipment.

#### **Skin protection**

Wear protective gloves, such as nitrile gloves.

#### **Body protection**

Wear suitable protective clothing. If splash risk, ensure clothing is impervious and fire resistant.

#### **Respiratory protection**

If engineering controls and ventilation are not sufficient to control exposure to below the allowable limits then an appropriate NIOSH/MSHA approved air-purifying respirator with organic vapor/acid gas cartridge and particulate filter, or self-contained breathing apparatus must be used. Supplied air breathing apparatus must be used when oxygen concentrations are low or if airborne concentrations exceed the limits of the air-purifying respirators.

#### **Thermal hazards**

No data available.

#### **Environmental exposure controls**

Do not let product enter drains.

# Safety Data Sheet

## Big Kizzy Remover 2

### SECTION 9: Physical and chemical properties

---

#### Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)	Yellow liquid
Odor	Lemon
Odor threshold	No data available.
pH	Not applicable
Melting point/freezing point	No data available.
Initial boiling point and boiling range	171-204 °C (340-399 °F)
Flash point	51 °C (124 °F)
Evaporation rate	0.1 (Butyl Acetate = 1)
Flammability (solid, gas)	Not applicable
Upper/lower flammability limits	No data available.
Upper/lower explosive limits	Upper explosion limit: 7.0 %(V) Lower explosion limit: 0.6 %(V)
Vapor pressure	0.07 kPa (20 °C/ 68 °F)
Vapor density	5.3
Relative density	0.758(15.6 °C/ 60.1 °F)
Solubility(ies)	0.05 g/l negligible in water
Partition coefficient:	n-octanol/water 3.3-5.3
Auto-ignition temperature	260 °C (500 °F)
Decomposition temperature	No data available.
Viscosity	No data available.
Surface tension	No data available.
Explosive properties	No data available.
Oxidizing properties	No data available.

#### Other safety information

No data available.

### SECTION 10: Stability and reactivity

---

#### 10.1 Reactivity

No data available.

#### 10.2 Chemical stability

Stable under normal storage conditions.

#### 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Heat, flames and sparks. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

#### 10.5 Incompatible materials

Oxidizing agents, Acid anhydrides, Aluminum, Halogenated compounds, Acids

#### 10.6 Hazardous decomposition products

Carbon oxides

**Safety Data Sheet**  
**Big Kizzy Remover 2**

**SECTION 11: Toxicological information**

---

**Information on toxicological effects**

**Acute toxicity**

Based on available data, classification data are not met

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Naphtha (petroleum), heavy alkylate (CAS no.: 64741-65-7):

Acute oral toxicity LD50 (rat.) >2,000mg/kg

Acute inhalation Toxicity LC50 (rat.) >10mg/l Exposure time 4 h

Acute dermal toxicity LD50 > 2,000mg/kg

**Skin corrosion/irritation**

Causes skin irritation

**Serious eye damage/irritation**

Based on available data, classification data are not met

**Respiratory or skin sensitization**

Based on available data, classification data are not met

**Germ cell mutagenicity**

Based on available data, classification data are not met

**Carcinogenicity**

IARC: Group 2B Possibly carcinogenic to humans

Naphtha (petroleum), heavy alkylate (CAS no.: 64741-65-7)

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity**

Based on available data, classification data are not met

**STOT-single exposure**

May cause drowsiness or dizziness

**STOT-repeated exposure**

Based on available data, classification data are not met

**Aspiration hazard**

Based on available data, classification data are not met

# Safety Data Sheet

## Big Kizzy Remover 2

### Further Information

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. High concentrations may cause narcotic effects. Solvents may dehydrate the skin.

## SECTION 12: Ecological information

---

### Toxicity

No data available on product.

### Persistence and degradability

No data available on product.

### Bioaccumulative potential

Naphtha (petroleum), heavy alkylate (CAS no.: 64741-65-7)

Log Pow: 3.3-5.3

### Mobility in soil

No data available on product.

### Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### Other adverse effects

No data available on product.

## SECTION 13: Disposal considerations

---

### Disposal of the product

Disposal should be in accordance with applicable Federal, State and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

### Disposal of contaminated packaging

Dispose of as unused product.

## SECTION 14: Transport information

---

### DOT (US)

UN Number: 1268

Class: 3

Packing Group: III

Proper Shipping Name: Petroleum distillates, n.o.s., Naptha petroleum, Heavy alkylate

### IMDG

UN Number: 1268

Class: 3

Packing Group: III

Proper Shipping Name: Petroleum distillates, n.o.s., Naptha petroleum, Heavy alkylate

### IATA

UN Number: 1268

Class: 3

Packing Group: III

# Safety Data Sheet

## Big Kizzy Remover 2

Proper Shipping Name: Petroleum distillates, n.o.s., Naptha petroleum, Heavy alkylate

### SECTION 15: Regulatory information

---

#### 15.1 Safety, health and environmental regulations specific for the product in question

##### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

##### Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

##### New Jersey Right To Know Components

No components are subject to the New Jersey Right to Know Act.

##### Pennsylvania Right To Know Components

No components are subject to the Pennsylvania Right to Know Act.

##### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

##### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard


##### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### HMIS Rating

Big Kizzy Remover II	
HEALTH	2
FLAMMABILITY	2
PHYSICAL HAZARD	0
PERSONAL PROTECTION	

#### NFPA Rating



### SECTION 16: Other information

---

#### 16.1 Further information/disclaimer

Date of issue: March 25, 2019.



**Safety Data Sheet**  
**Big Kizzy Remover 2**

DISCLAIMER: The information and data are offered in good faith as typical values and not as a product specification. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The user assumes all liability for any damages or injury that result from abnormal use, any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.

