Sigma-Aldrich

www.sigmaaldrich.com

# SAFETY DATA SHEET

Version 6.7 Revision Date 03/01/2023 Print Date 05/06/2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifiers

Product name	:	Barium chloride dihydrate
Product Number Brand Index-No. CAS-No.	:	217565 SIGALD 056-004-00-8 10326-27-9

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 1.3 Details of the supplier of the safety data sheet

ŀ	Emergency telephone			
	Telephone Fax	-	+1 314 771-5765 +1 800 325-5052	
	Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES	

## Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 4), H332 Eye irritation (Category 2A), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

Pictogram



Danger

Signal Word

SIGALD - 217565

1.4

Page 1 of 11



Hazard statement(s) H301 H319 H332	Toxic if swallowed. Causes serious eye irritation. Harmful if inhaled.
Precautionary statement(s)	
P261	Avoid breathing dust.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear eye protection/ face protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 P405 P501	If eye irritation persists: Get medical advice/ attention. Store locked up. Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# **SECTION 3: Composition/information on ingredients**

Substances Formula Molecular weight CAS-No.	: BaCl <sub>2</sub> · : 244.26 : 10326-	g/mol	
EC-No.	: 233-78		
Index-No.	: 056-00		
Component		Classification	Concentration

Barium ch	oride dihydrate	
	Acute Tox. 3; Acute Tox. <= 100 % 4; Eye Irrit. 2A; H301,	
	H332, H319	

For the full text of the H-Statements mentioned in this Section, see Section 16.

# SECTION 4: First aid measures

# 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

SIGALD - 217565

Page 2 of 11



## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

## In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given. For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas Barium oxide Not combustible. Ambient fire may liberate hazardous vapours.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

# 6.2 Environmental precautions

Do not let product enter drains.

SIGALD - 217565

Page 3 of 11



#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

**6.4 Reference to other sections** For disposal see section 13.

## SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

# Advice on safe handling

Work under hood. Do not inhale substance/mixture.

## Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

#### Storage class

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

## Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Barium chloride dihydrate	10326-27- 9	TWA	0.5 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	0.5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	0.5 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Not classifiable as a human carcinogen		

SIGALD - 217565

Page 4 of 11



	PEL	5.	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
--	-----	----	--

## 8.2 Exposure controls

#### Appropriate engineering controls

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

#### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:KCL 741 Dermatril® L

## **Body Protection**

protective clothing

## **Respiratory protection**

#### required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### **Control of environmental exposure**

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: crystalline

SIGALD - 217565

Page 5 of 11



		Color: white
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	5.0 - 8.0 at 50 g/l at 25 °C (77 °F)
e)	Melting point/freezing point	Melting point: 113 °C (235 °F)
f)	Initial boiling point and boiling range	No data available
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	The product is not flammable.
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Density	3.100 g/cm3 at 18 - 25 °C (64 - 77 °F)
	Relative density	No data available
n)	Water solubility	No data available
o)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances
p)	Autoignition temperature	No data available
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none
<b>011</b>	ou cofotu informatio	-

# 9.2 Other safety information

No data available

## **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No data available

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

**10.3 Possibility of hazardous reactions** Risk of explosion with: furan-2-percarbonic acid

SIGALD - 217565

Page 6 of 11



Violent reactions possible with: halogen-halogen compounds Strong oxidizing agents strong reducing agents acids

- **10.4 Conditions to avoid** no information available
- **10.5 Incompatible materials** various metals, (generation of hydrogen)
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## **11.1 Information on toxicological effects**

#### Acute toxicity

LD50 Oral - Rat - 118 mg/kg Remarks: (RTECS) Inhalation: No data available Dermal: No data available No data available

#### Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE) Result: No skin irritation - 15 min Remarks: (ECHA)

### Serious eye damage/eye irritation

Eyes - Rabbit Result: irritating (OECD Test Guideline 405)

#### **Respiratory or skin sensitization**

Local lymph node assay (LLNA) - Mouse Result: negative (OECD Test Guideline 429)

#### Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476

SIGALD - 217565

Page 7 of 11



Result: negative

#### Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity** No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

## **11.2 Additional Information**

RTECS: CQ8751000 Vomiting, Diarrhea To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

The following applies to soluble barium compounds in general: after swallowing: mucosal irritation, nausea, salivation, vomiting, dizziness, pain, colics, and diarrhoea. Systemic effects include: cardiac dysrhythmias, bradycardia (subdued cardiac activity), rise in blood pressure, shock and circulatory collapse as well as muscular rigidity.

Chronic intoxication:

damage of respiratory tract conjunctivitis Dermatitis cardiovascular disorders

Handle in accordance with good industrial hygiene and safety practice.

Other dangerous properties can not be excluded.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

SIGALD - 217565

Page 8 of 11



Toxicity to fish	static test LC50 - Danio rerio (zebra fish) - > 174 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test LC50 - Daphnia magna (Water flea) - 14.5 mg/l - 48 h Remarks: (ECHA) (referred to the cation)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (algae) - > 100 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC50 - activated sludge - > 943.1 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to fish(Chronic toxicity)	semi-static test NOEC - Danio rerio (zebra fish) - >= 1.26 mg/l - 33 d (OECD Test Guideline 210)

## 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

### **12.3 Bioaccumulative potential** Bioaccumulation Lepomis macrochirus - 0.065 mg/l(Barium chloride dihydrate)

Bioconcentration factor (BCF): 22.8

#### **12.4 Mobility in soil** No data available

### **12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## **12.6 Endocrine disrupting properties** No data available

### 12.7 Other adverse effects

Formation of health-hazardous mixtures possible with water. Endangers drinking-water supplies if allowed to enter soil or water. Discharge into the environment must be avoided.

## SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

#### **SECTION 14: Transport information**

**DOT (US)** UN number: 1564 Class: 6.1

Packing group: III

SIGALD - 217565

Page 9 of 11



Proper shipping name: Barium compounds, n.o.s. (Barium chloride dihydrate) Reportable Quantity (RQ): Poison Inhalation Hazard: No

#### IMDG

UN number: 1564 Class: 6.1 Packing group: III EMS-No: F-A, S-A Proper shipping name: BARIUM COMPOUND, N.O.S. (Barium chloride dihydrate)

#### ΙΑΤΑ

UN number: 1564 Class: 6.1 Packing group: III Proper shipping name: Barium compound, n.o.s. (Barium chloride dihydrate)

#### **SECTION 15: Regulatory information**

#### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

## SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-NO.	Revision Date
Barium chloride dihydrate	10326-27-9	2015-07-08

#### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

# Pennsylvania Right To Know Components

Barium chloride dihydrate	CAS-No.	Revision Date
	10326-27-9	2015-07-08

# **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD - 217565

Page 10 of 11



Version: 6.7

Revision Date: 03/01/2023

Print Date: 05/06/2023

SIGALD - 217565

Page 11 of 11

