| **Ashland always solving | Page: 1 |
|--------------------------|---------------------------|
| SAFETY DATA SHEET | Revision Date: 06/06/2018 |
| | Print Date: 9/24/2018 |
| | SDS Number: R0718313 |
| PVP K-30 | Version: 1.7 |
| 831145 | |

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : PVP K-30

Substance name POLYVINYL PYRROLIDONE

Substance No.

CAS-No. 9003-39-8

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Home care

Raw material for industry

Agrochemicals Pesticide.

Details of the supplier of the safety data

sheet

Ashland P.O. Box 2219

Columbus, OH 43216

United States of America (USA)

+1-614-790-3333

Emergency telephone number

1-800-ASHLAND (1-800-274-5263)

Regulatory Information Number

1-800-325-3751

Product Information

+1-614-790-3333

EHSProductSafety@ashland.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Combustible Dust :

GHS label elements

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

| Ashland always solving | Page: 2 |
|------------------------|---------------------------|
| SAFETY DATA SHEET | Revision Date: 06/06/2018 |
| | Print Date: 9/24/2018 |
| | SDS Number: R0718313 |
| PVP K-30 | Version: 1.7 |
| 831145 | |

Precautionary Statements : Prevention:

Keep dust/air mixtures away from ignition sources.

Other hazards
None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Chemical nature : organic

Hazardous components

| Chemical name | CAS-No. | Classification | Concentration (%) |
|---------------|----------|---------------------|-------------------|
| PYRROLIDONE 2 | 616-45-5 | Eye Irrit. 2A; H319 | 2.00 |
| | | | |
| | | | |

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If swallowed : Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

| **Ashland always solving | Page: 3 |
|--------------------------|---------------------------|
| SAFETY DATA SHEET | Revision Date: 06/06/2018 |
| | Print Date: 9/24/2018 |
| | SDS Number: R0718313 |
| PVP K-30 | Version: 1.7 |
| 831145 | |

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray

Foam

Specific hazards during

firefighting

: Organic dusts at sufficient concentration can form explosive

mixtures in air.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: carbon dioxide and carbon monoxide

Nitrogen oxides (NOx)

Specific extinguishing

methods

:

Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid dust formation. Avoid breathing dust.

Material can create slippery conditions.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up

: Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid dust formation.

Ensure all equipment is electrically grounded and bonded

before beginning transfer operations.

The material can accumulate static charge and can therefore

cause electrical ignition of flammable atmospheres.

| Ashland always solving | Page: 4 |
|------------------------|---------------------------|
| SAFETY DATA SHEET | Revision Date: 06/06/2018 |
| | Print Date: 9/24/2018 |
| | SDS Number: R0718313 |
| PVP K-30 | Version: 1.7 |
| 831145 | |

Smoking, eating and drinking should be prohibited in the application area.

For personal protection see section 8.

Maintain good housekeeping. Do not permit dust layers to accumulate, for example, on floors, ledges, and equipment, in order to avoid any potential for dust explosion hazards.

For further guidance on prevention of dust explosions, refer to National Fire Protection Association (NFPA) 654: "Standard for the Prevention of Fire and Dust Explosions, from the Manufacturing, Processing and Handling of Combustible Particulate Solids".

Conditions for safe storage : No smoking.

Materials to avoid : No materials to be especially mentioned.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

| Components | CAS-No. |
|---------------|----------|
| PYRROLIDONE 2 | 616-45-5 |

Engineering measures

: Provide appropriate exhaust ventilation at places where dust is formed.

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known,

suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : In the case o

In the case of dust or aerosol formation use respirator with an approved filter within the capabilities of the respirator/filter

combination.

Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear

a positive-pressure supplied-air respirator.

Hand protection

Material : butyl-rubber Break through time : 480 min

| Ashland always solving | Page: 5 |
|------------------------|---------------------------|
| SAFETY DATA SHEET | Revision Date: 06/06/2018 |
| | Print Date: 9/24/2018 |
| | SDS Number: R0718313 |
| PVP K-30 | Version: 1.7 |
| 831145 | |

Glove thickness : > 0.5 mm

Remarks : The exact break through time can be obtained from the

protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection : Safety glasses

Skin and body protection : Wear as appropriate:

Safety shoes

Wear resistant gloves (consult your safety equipment

supplier).

Hygiene measures : Avoid breathing dust.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Physical state : solid

Colour : off-white

Odour : No data available

Odour Threshold : No data available

pH : 3-7

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

| **PAshland always solving | Page: 6 |
|---------------------------|---------------------------|
| SAFETY DATA SHEET | Revision Date: 06/06/2018 |
| | Print Date: 9/24/2018 |
| | SDS Number: R0718313 |
| PVP K-30 | Version: 1.7 |
| 831145 | |

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Bulk density : 400 - 600 kg/m3

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Dust may form explosive mixture in air.

Conditions to avoid : Keep away from heat, flame, sparks and other ignition

sources.

Incompatible materials : Strong oxidizing agents

strong reducing agents

Hazardous decomposition

products Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

| **Ashland always solving | Page: 7 |
|--------------------------|---------------------------|
| SAFETY DATA SHEET | Revision Date: 06/06/2018 |
| | Print Date: 9/24/2018 |
| | SDS Number: R0718313 |
| PVP K-30 | Version: 1.7 |
| 831145 | |

Information on likely routes of : Inhalation

exposure

Skin contact
Eye Contact
Ingestion

Acute toxicity

Not classified based on available information.

Components:

PYRROLIDONE 2:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Assessment: Not classified as acutely toxic by ingestion under

GHS.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: No adverse effect has been observed in acute

dermal toxicity tests.

Skin corrosion/irritation

Not classified based on available information.

Components:

PYRROLIDONE 2: Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury., Product dust may be irritating to eyes, skin and respiratory system.

Components:

PYRROLIDONE 2: Result: Irritating to eyes.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

<u>Components:</u> PYRROLIDONE 2:

Test Type: Local lymph node assay

Species: Mouse

Assessment: Did not cause sensitisation on laboratory animals.

Method: OECD Test Guideline 429

Germ cell mutagenicity

Not classified based on available information.

Components:

| Ashland always solving | Page: 8 |
|------------------------|---------------------------|
| SAFETY DATA SHEET | Revision Date: 06/06/2018 |
| | Print Date: 9/24/2018 |
| | SDS Number: R0718313 |
| PVP K-30 | Version: 1.7 |
| 831145 | |

PYRROLIDONE 2:

Genotoxicity in vitro : Test Type: Ames test

Test species: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Test species: Mouse Cell type: Bone marrow

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

| **Ashland always solving | Page: 9 |
|--------------------------|---------------------------|
| SAFETY DATA SHEET | Revision Date: 06/06/2018 |
| | Print Date: 9/24/2018 |
| | SDS Number: R0718313 |
| PVP K-30 | Version: 1.7 |
| 831145 | |

Components:

PYRROLIDONE 2:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 4,600 - 10,000 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 500 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l

End point: Growth inhibition

Exposure time: 72 h Test Type: static test Method: DIN 38412

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: Chronic Toxicity Value (Daphnia magna (Water flea)):

Estimated 160.2 mg/l Exposure time: 21 d

Remarks: The value is given based on a SAR/AAR approach

using OECD Toolbox, DEREK, VEGA QSAR models

(CAESAR models), etc.

Persistence and degradability

Components:

PYRROLIDONE 2:

Biodegradability : Zahn-Wellens Test

Result: Readily biodegradable.

Biodegradation: 98 % Exposure time: 9 d

No data available

Bioaccumulative potential

Components:

PYRROLIDONE 2:

Partition coefficient: n-

: log Pow: -0.71 (20 °C)

octanol/water

No data available

Mobility in soil

Components:

No data available

Other adverse effects

No data available

Product:

| **Ashland always solving | Page: 10 |
|--------------------------|---------------------------|
| SAFETY DATA SHEET | Revision Date: 06/06/2018 |
| | Print Date: 9/24/2018 |
| | SDS Number: R0718313 |
| PVP K-30 | Version: 1.7 |
| 831145 | |

Additional ecological

information

: No data available

Components:

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

| ID NUMBER | PROPER SHIPPING NAME | *HAZARD | SUBSIDIARY | PACKING | MARINE |
|-----------|----------------------|---------|------------|---------|-------------|
| | | CLASS | HAZARDS | GROUP | POLLUTANT / |
| | | | | | LTD. QTY. |

U.S. DOT - ROAD

| Not dangerous goods | |
|---------------------|--|
| | |

CFR_RAIL_C

| Not dangerous goods | |
|---------------------|--|
| | |

U.S. DOT - INLAND WATERWAYS

| Not dangerous goods | |
|---------------------|--|
| | |

TDG_ROAD_C

| Not dangerous goods | |
|---------------------|--|
| | |

TDG RAIL C

| | |
|------|---------------------|
| | Not dangerous goods |
| | |

TDG_INWT_C

| Not dangerous goods | |
|---------------------|--|
| | |

| Ashland always solving | Page: 11 |
|------------------------|---------------------------|
| SAFETY DATA SHEET | Revision Date: 06/06/2018 |
| | Print Date: 9/24/2018 |
| | SDS Number: R0718313 |
| PVP K-30 | Version: 1.7 |
| 831145 | |

| INTERNATIONAL | MARITIME DANGERO | US | GOODS |
|---------------|------------------|----|-------|
|---------------|------------------|----|-------|

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

MX_DG

Not dangerous goods

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

| Marine pollutant | no |
|------------------|----|
| | |

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ. SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Combustible Dust

SARA 302 : This material does not contain any components with a section

302 EHS TPQ.

SARA 313 This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Pennsylvania Right To Know

POLYVINYL PYRROLIDONE 9003-39-8

New Jersey Right To Know

| Ashland always solving | Page: 12 |
|------------------------|---------------------------|
| SAFETY DATA SHEET | Revision Date: 06/06/2018 |
| | Print Date: 9/24/2018 |
| | SDS Number: R0718313 |
| PVP K-30 | Version: 1.7 |
| 831145 | |

POLYVINYL PYRROLIDONE 9003-39-8

PYRROLIDONE 2 616-45-5

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TSCA : On TSCA Inventory

Inventories


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information Revision Date: 06/06/2018

| NFPA: | HMIS III: |
|-------|-----------|
| | |

| **Ashland always solving | Page: 1 |
|--------------------------|--------------------------|
| SAFETY DATA SHEET | Revision Date: 06/06/201 |
| | Print Date: 9/24/201 |
| | SDS Number: R071831 |
| PVP K-30 | Version: 1. |
| 831145 | |



NFPA Flammable and Combustible Liquids Classification Not applicable

Full text of H-Statements

H319 Causes serious eye irritation.

Sources of key data used to compile the Safety Data Sheet Ashland internal data including own and sponsored test reports The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide;

| **Ashland always solving | Page: 14 |
|--------------------------|---------------------------|
| SAFETY DATA SHEET | Revision Date: 06/06/2018 |
| | Print Date: 9/24/2018 |
| | SDS Number: R0718313 |
| PVP K-30 | Version: 1.7 |
| 831145 | |

GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD -Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative